

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 25.03.2023

Version: 7.5

Print date: 25.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation:	Methanol HiPerSolv CHROMANORM® for HPLC - ISOCRATIC GRADE
Product No.:	20837
CAS No.:	67-56-1
Index No.:	603-001-00-X
EU REACH No.:	01-2119433307-44-XXXX
Other means of identification:	Carbinol, Hydroxy methane, Methyl alcohol, Wood alcohol

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	General chemical reagent
---------------------------	--------------------------

1.3 Details of the supplier of the safety data sheet

Ireland

VWR International Ltd.

Street	Orion Business Campus, Northwest Business Park
Postal code/City	Ballycoolin, Dublin 15
Telephone	+353 1 8822222
Telefax	+353 1 8822333
E-mail (competent person)	SDS@avantorsciences.com

1.4 Emergency phone number

Telephone	+44 (0) 1270 502894 (CareChem24)
-----------	----------------------------------

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements
Flammable liquid, category 2	H225
Specific target organ toxicity (single exposure), category 1	H370
Acute toxicity, category 3, oral, dermal and inhalation	H301+H311+H331

2.2 Label elements

2.2.1 Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Signal word: Danger

Hazard statements	
H225	Highly flammable liquid and vapour.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
H370	Causes damage to organs.

Precautionary statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P308+P310	IF exposed or concerned: Immediately call a POISON CENTER/doctor.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

2.3 Other hazards

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition / information on ingredients

3.1 Substances

Substance name: Methanol
Molecular formula: H₃COH

Molecular weight:	32.04 g/mol
CAS No.:	67-56-1
EU REACH registration No.:	01-2119433307-44-XXXX
EC No.:	200-659-6
ATE, SCL and/or M-factor:	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Do not leave affected person unattended. If unconscious but breathing normally, place in recovery position and seek medical advice. Take off immediately all contaminated clothing. Highly flammable liquid and vapour. Wash contaminated clothing before reuse. When in doubt or if symptoms are observed, get medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory tract irritation, consult a physician. When in doubt or if symptoms are observed, get medical advice.

In case of skin contact

Remove contaminated, saturated clothing immediately. Wash off any skin contamination immediately.

After eye contact:

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist. Call a POISON CENTER or doctor/physician.

In case of ingestion

Rinse mouth thoroughly with water. Immediately call a POISON CENTRE/doctor. Never give anything by mouth to an unconscious person or a person with cramps.

Self-protection of the first aider

First aider: Pay attention to self-protection! Wear personal protection equipment (refer to section 8). In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

4.2 Most important symptoms and effects, both acute and delayed

Headache. Dizziness. Nausea. Respiratory disorders. Coma. Acidosis Risk of blindness.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Following ingestion: Administer 50 ml of pure ethanol in a drinkable concentration. Methanol is metabolized to the highly toxic compounds formaldehyde and formic acid that are responsible for the acidosis and blindness characteristic of methanol poisoning. The onset of symptoms may be delayed for 18 to 72 hours after ingestion. Toxicity is related to the degree of acidosis produced.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray.

ABC-powder

Carbon dioxide (CO₂).

Nitrogen

Extinguishing media which must not be used for safety reasons

Full water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated:

Carbon monoxide

Carbon dioxide (CO₂).

5.3 Advice for firefighters

Combustible toxic substances (liquid)

In case of fire and/or explosion do not breathe fumes.

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Use water spray jet to protect personnel and to cool endangered containers.

DO NOT fight fire when fire reaches explosives.

Additional information

Do not allow run-off from fire-fighting to enter drains or water courses.

Do not inhale explosion and combustion gases.

Use caution when applying carbon dioxide in confined spaces. Carbon dioxide can displace oxygen.

Use water spray jet to protect personnel and to cool endangered containers.

In case of fire: Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear personal protection equipment (refer to section 8). Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide adequate ventilation.

6.2 Environmental precautions

Discharge into the environment must be avoided. Do not allow to enter into surface water or drains. Explosion risk.

6.3 Methods and material for containment and cleaning up

Cover drains. Absorb spillage to prevent material damage. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Dispose according to local legislation.

6.4 Additional information

Personal protection equipment: see section 8 SECTION 13. Information regarding the disposal of the products

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Wear personal protection equipment (refer to section 8).

Avoid contact with eyes and skin.

Avoid inhalation of the product.

Use extractor hood (laboratory).

Provide adequate ventilation.

Measures to prevent fire, aerosol and dust generation

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharges.

Measures required to protect the environment

Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches.

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature: 15-25°C

Storage class: 3

Storage: Keep container tightly closed and in a well-ventilated place. Keep/Store away from combustible materials. Protect from sunlight. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Suitable container/equipment material:

Glass Steel Stainless steel Unsuitable container/equipment material: Aluminium Polyethylene (PE) PVC (polyvinyl chloride)

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredient (Designation)	Source	Country	parameter	Limit value	Remark
Methanol	DNEL	EU	Worker, Dermal, long-term, systemic	20 mg/kg bw/day	
Methanol	DNEL	EU	Worker, Dermal, short-term, systemic	20 mg/kg bw/day	
Methanol	DNEL	EU	Worker, Inhalation, long-term, local	130 mg/m ³	
Methanol	DNEL	EU	Worker, Inhalation, long-term, systemic	130 mg/m ³	
Methanol	DNEL	EU	Worker, Inhalation, short-term, local	130 mg/m ³	
Methanol	DNEL	EU	Worker, Inhalation, short-term, systemic	130 mg/m ³	
Methanol	Directive 98/24/EC	EU	LTV	260 mg/m ³ - 200 ppm	Skin Designation
Methanol	Chemical Agents Code of Practice 2020	IE	LTV	260 mg/m ³ - 200 ppm	IOELV

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. If handled uncovered, arrangements with local exhaust ventilation have to be used.

8.2.2 Personal protection equipment

Wear suitable protective clothing. When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Eye/face protection

Eye glasses with side protection DIN-/EN-Norms EN 166

Recommendation: VWR 111-0432

Skin protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Recommended glove articles DIN-/EN-Norms EN ISO 374 In the case of wanting to use the gloves again, clean them before taking off and air them well.

By short-term hand contact

Suitable material:	NBR (Nitrile rubber)
Thickness of the glove material:	0,38 mm
Breakthrough time::	-
Recommended glove articles:	VWR 112-1381

By long-term hand contact

Suitable material:	Butyl caoutchouc (butyl rubber)
Thickness of the glove material:	0,30 mm
Breakthrough time::	> 480 min
Recommended glove articles:	VWR 112-3779

Respiratory protection

Respiratory protection necessary at: aerosol or mist formation

Suitable respiratory protection apparatus:	Full-/half-/quarter-face masks (EN 136/140)
Recommendation:	VWR 111-0206
Suitable material:	AXP3
Recommendation:	VWR 111-8932

Additional information

Wash hands before breaks and after work. Avoid contact with eyes and skin. When using do not eat, drink or smoke. Provide eye shower and label its location conspicuously.

8.2.3 *Environmental exposure controls*
no data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

(a) Appearance	
Physical state:	liquid
Colour:	colourless
(b) Odour:	characteristic
(c) Odour threshold:	no data available

Safety relevant basic data

(d) pH:	7 (20 °C)
(e) Melting point/freezing point:	-98 °C
(f) Initial boiling point and boiling range:	64.6 °C (1013 hPa)
(g) Flash point:	11 °C (closed cup)
(h) Evaporation rate:	no data available
(i) Flammability (solid, gas):	Highly flammable liquid and vapour.
(j) Flammability or explosive limits	
Lower explosion limit:	5.5 % (v/v)
Upper explosion limit:	36.5 % (v/v)
(k) Vapour pressure:	128 hPa (20 °C)
(l) Vapour density:	1.11 (20 °C)
(m) Density:	0.7918 g/cm³ (20 °C)
(n) Solubility(ies)	
Water solubility:	soluble (20 °C)
(o) Partition coefficient: n-octanol/water:	-0.77 (20 °C)
(p) Auto-ignition temperature:	455 °C (DIN 51794)
(q) Decomposition temperature:	not applicable
(r) Viscosity	
Kinematic viscosity:	no data available
Dynamic viscosity:	0.614 mPa*s (20 °C)
(s) Explosive properties:	not applicable
(t) Oxidising properties:	not applicable
(u) Particle characteristics:	does not apply to liquids

9.2 Other information

Bulk density:	no data available
Refraction index:	1.33066 (589 nm; 20 °C)
Dissociation constant:	no data available
Surface tension:	no data available
Henry's Law Constant:	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is non-reactive under normal conditions.
Chemical stability

Vapour can form explosive mixtures with air.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Formation of explosive mixtures with:

Oxidising agent.

Nitrogen oxides (NO_x)

Chlorates

Nitric acid

Sulphuric acid.

Exothermic reaction with:

Reducing agent.

Acid

Acid halides

Alkali (lye), concentrated

Violent reaction with:

Alkali metals

Alkaline earth metal

Formation of:

Hydrogen

10.4 Conditions to avoid

UV-radiation/sunlight

Heat

Sparks.

Flame

10.5 Incompatible materials

Acids

Alkali metals

Oxidising agent.

10.6 Hazardous decomposition products

Formaldehyde

10.7 Additional information

Slowly corrodes aluminium and zinc under hydrogen evolution.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity:

LDLo: > 143 mg/kg - Human - (RTECS)

LD50: 1187 - 2769 mg/kg - Rat - (OECD 401)

Acute dermal toxicity:

LD50: 17100 mg/kg - Rabbit - (ECHA)

Acute inhalation toxicity:

TCLo: > 160 ppm (4 h) - Human

LD50: 43700 mg/m³ (6 h) - Cat - (J Appl Toxicol 14(4): 309-313)

Irritant and corrosive effects:

Primary irritation to the skin:

not applicable

Irritation to eyes:

not applicable

Irritation to respiratory tract:

not applicable

Respiratory or skin sensitisation

In case of skin contact: not sensitising

After inhalation: not sensitising

STOT-single exposure

Causes damage to organs.

STOT-repeated exposure

not applicable

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

No indication of human carcinogenicity.

Germ cell mutagenicity

No indications of human germ cell mutagenicity exist.

Reproductive toxicity

No indications of human reproductive toxicity exist.

Aspiration hazard

not applicable

Other adverse effects

no data available

Additional information

no data available

11.2 Endocrine disrupting properties:

This substance does not have endocrine disrupting properties with respect to humans.

SECTION 12: Ecological information

12.1 Ecotoxicity

Fish toxicity:

LC50: 24000 mg/l (96 h) - Poirier, S.H., M.L. Knuth, C.D. Anderson-Buchou, L.T. Brooke, A.R. Lima, and P.J. Shubat 1986. Comparative Toxicity of Methanol and N,N-Dimethylformamide to Freshwater Fish and Invertebrates. Bull.Environ.Contam.Toxicol. 37(4):615-621

Daphnia toxicity:

LC50: 3290 mg/l (48 h) - Guilhermino, L., T. Diamantino, M.C. Silva, and A.M.V.M. Soares 2000. Acute Toxicity Test with Daphnia magna: An Alternative to Mammals in the Prescreening of Chemical Toxicity?. Ecotoxicol.Environ.Saf. 46(3):357-362

EC50: 24500 mg/l (48 h) - Randall, T.L., and P.V. Knopp 1980. Detoxification of Specific Organic Substances by Wet Oxidation. J.Water Pollut.Control Fed. 52(8):2117-2130

Algae toxicity:

EC50: 22 000 mg/l (96 h) Pseudokirchneriella subcapitata - IUCLID

Bacteria toxicity:

no data available

12.2 Persistence and degradability

Biodegradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water: -0.77 (20 °C)

12.4 Mobility in soil:

no data available

12.5 Results of PBT/vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to the environment.

12.7 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Appropriate disposal / Product

Dispose according to local legislation. Consult the appropriate local waste disposal expert about waste disposal.

Waste code product: 070104

Appropriate disposal / Package

Dispose according to local legislation. Handle contaminated packages in the same way as the substance itself. This material and its container must be disposed of as hazardous waste. Do not open container by force. Warning: Do not refill! Do not pierce or burn, even after use.

Additional information

no data available

SECTION 14: Transport information

Land transport (ADR/RID)

14.1	UN-No.:	1230
14.2	Proper Shipping Name:	METHANOL
14.3	Class(es):	3 (6.1)
	Classification code:	FT1
	Hazard label(s):	3+6.1
14.4	Packing group:	II
14.5	Environmental hazards:	No
14.6	Special precautions for user:	
	Hazard identification number (Kemler No.):	336
	tunnel restriction code:	D/E
		(Passage forbidden through tunnels of category D when carried in bulk or in tanks. Passage forbidden through tunnels of category E.)

Sea transport (IMDG)

14.1	UN-No.:	1230
14.2	Proper Shipping Name:	METHANOL
14.3	Class(es):	3 (6.1)
	Classification code:	
	Hazard label(s):	3+6.1
14.4	Packing group:	II
14.5	Environmental hazards:	No
	Marine pollutant:	No
14.6	Special precautions for user:	
	Segregation group:	-
	EmS-No.	F-E S-D
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	not relevant	

SECTION 16: Other information

Abbreviations and acronyms

ACGIH - American Conference of Governmental Industrial Hygienists
ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road
AGS - Committee on Hazardous Substances (Ausschuss für Gefahrstoffe)
CLP - Regulation on Classification, Labelling and Packaging of Substances and Mixtures
DFG - German Research Foundation (Deutsche Forschungsgemeinschaft)
DNEL - Derived No Effect Level
Gestis - Information system on hazardous substances of the German Social Accident Insurance (Gefahrstoffinformationssystem der Deutschen Gesetzlichen Unfallversicherung)
IATA-DGR - International Air Transport Association-Dangerous Goods Regulations
ICAO-TI - International Civil Aviation Organization-Technical Instructions
IMDG - International Maritime Code for Dangerous Goods
KOSHA - Korea Occupational Safety and Health Agency
LTV - Long Term Value
NIOSH - National Institute for Occupational Safety and Health
OSHA - Occupational Safety & Health Administration
PBT - Persistent, Bioaccumulative and Toxic
PNEC - Predicted No Effect Concentration
RID - Regulation concerning the International Carriage of Dangerous Goods by Rail
STV - Short Term Value
SVHC - Substances of Very High Concern
vPvB - very Persistent, very Bioaccumulative

Training advice: Provide adequate information, instruction and training for operators.

Key literature references and sources for data

This Safety Data Sheet has been prepared based on information available for public as TOXNET information, European Chemicals Agency (ECHA) substance dossier, papers from international cancer research institutes (IARC Monographs), U.S. National Toxicology Program data, U.S. Agency for Toxic Substances and Disease Control (ATSDR), PubChem websites and SDS from our raw material manufacturers.

Additional information

Indication of changes Section 15

If you need an explanation of the change, contact the supplier (SDS@avantorsciences.com).

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.